Captn

卓越源于专业

PROFESSIONAL
QUALITY CAST

C-B001

C-B002

28
210
85/92
130

28
210
85/92
130

C-B003

C-B004

30
215
85/92
130

26
215
85/92
130

● 面饰：喷涂
● 安装门厚：60mm-70mm（可根据型材厚度选择）
● 中心距：35mm
● 特点：高质量锁芯，高质量平开门锁体，
　　高强度合金压铸把手及挡板
　　（可选配中心距25/30mm锁体或其他平开门锁体）

● Finish: Painting
● Door thickness: 60mm-70mm
　(Or according to material thickness)
● Backset: 35mm
● Characteristic: High quality lock cylinder ,
　high quality lock body , high strength alloy handle and plate
　(25/30mm backset lock body or other lock bodies are available)

锁体线图
Lock Body diagram

34.5 14.5
238
85
172.5
54
2.5

锁体
Lock Body

锁芯
Lock Cylingder

● 铝合金执手锁系列
Aluminum Door Handle Lock Series

● 铝合金执手锁系列
Aluminum Door Handle Lock Series

C-B001

C-B002

28
210
85/92
130

28
210
85/92
130

C-B003

C-B004

30
215
85/92
130

26
215
85/92
130

C-70BK-25

28
210
70
115

25
2.5
185
70
137
39.5

● 面饰：喷涂
● 安装门厚：30~40mm
● 中心距：70x25mm
● 特点：高质量锁体，最新浴室设计
● Finish:Painting
● Door thickness:30mm-40mm
● Backset:70x25mm
● Characeristics:High quality lock body, the latest design.

C-B007-70

32 29 123
60 79

C-B006

32 32 120
60 73

C-B008-85

53 53
65 65
140

C-B009-85

31 31 140
65 65

● 面饰：喷涂
● 安装门厚：60mm-70mm（可根据型材厚度选择）
● 中心距：35mm
● 特点：高质量锁芯，高质量多点锁体，
　高强度合金压铸把手及挡板
● Finish: Painting
● Door thickness: 60mm-70mm
　(Or according to material thickness)
● Backset: 35mm
● Characteristic: High quality lock cylinder ,
　high quality Multipoint lock body , high strength alloy handle and plate

锁体线图
Lock Body diagram

405
390
323
92 75
200

35 18

锁体
Lock Body

锁芯
Lock Cylingder

● 面饰：喷涂
● 安装门厚：30mm-40mm（可根据型材厚度选择）
● 中心距：70mm
● 特点：高质量锁芯、高质量平开门锁体，
　高强度合金压铸把手及挡板，
　（可选配中心距90mm锁体）
● Finish: Painting
● Door thickness:30mm-40mm(Or as material thickness)
● Backset: 70mm
● Characeristics: High quality lock cylinder high quality lock body, high strength alloy handle and plate
　(90mm backset lock body is available)

138
62
2.5
70 65
146
43

● 面饰：拉丝
● 安装门厚：30mm-40mm（可根据型材厚度选择）
● 中心距：35mm
● 特点：高质量锁芯、高质量平开门锁体，
　高强度不锈钢把手及挡板，
　（可选配中心距25/30mm锁体或其它平开门锁体）
● Finish: SS
● Door thickness:30mm-40mm(Or as material thickness)
● Backset: 35mm
● Characteristic: High quality lock cylinder , high quality lock body , high strength stainless steel handle and plate
　(25/30mm backset lock body or other lock bodies are available)

34.5 14.5
238
85
54
172.5
2.5

C-8500B-SN4

- 面饰：拉丝
- 安装门厚：30mm-45mm（可根据型材厚度选择）
- 中心距：25mm
- 特点：高质量锁芯，高质量平开门锁体，
  高强度合金压铸把手，不锈钢挡板
  （可选配中心距20/30/35mm锁体或其他平开门锁体）

- Finish: SN/Painting
- Door thickness:30mm-45mm(Or as material thickness)
- Backset: 25mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy handle,stainless steel plate
 (20/30/35mm backset lock body or other lock bodies are available)

C-8500B-SN3

C-8500B-SN2

C-8500B-W4

- 面饰：喷涂
- 安装门厚：30mm-45mm（可根据型材厚度选择）
- 中心距：25mm
- 特点：高质量锁芯，高质量平开门锁体，
  高强度合金压铸把手
  （可选配中心距20/30/35mm锁体或其他平开门锁体）

- Finish: Painting
- Door thickness:30mm-45mm(Or as material thickness)
- Backset: 25mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy handle,stainless steel plate
  (20/30/35mm backset lock body or other lock bodies are available)

C-8500B-W3

C-8500B-W2

C-8500A

- 面饰：喷涂
- 安装门厚：30mm-40mm
- 中心距：25mm
- 特点：高质量锁芯、高质量平开门锁体，
  高强度合金压铸把手，
  （可选配中心距20/30/35mm锁体或其它平开门锁体）

- Finish: Painting
- Door thickness:30mm-40mm
- Backset: 25mm
- Charecteristics: High quality lock cylinder
  high quality lock body, strength alloy handle
  (20/30/35mm body or other lock bodies are available)

C-20201 塑钢型执手锁

- 面饰：喷涂
- 安装门厚：50mm-60mm
- 中心距：30mm
- 特点：高质量锁芯、高质量平开门锁体，

- Finish: Painting
- Door thickness:50mm-60mm
- Backset: 30mm
- Chareceristics: High quality lock cylinder
  and high quality lock body

C-9200P

C-9500B-4

- 面饰：拉丝
- 安装门厚：30mm~45mm（可根据型材厚度选择）
- 中心距：30mm
- 特点：高质量锁芯、高质量平开门锁体，
  高强度合金压铸把手及挡板，不锈钢挡板，

- Finish: SN
- Door thickness:30mm-45mm(Or as material thickness)
- Backset: 30mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy
  handle,stainless steel plate.

C-9500B-3

C-9500B-2

C-9500A-4

- 面饰：光铬
- 安装门厚：30mm~45mm（可根据型材厚度选择）
- 中心距：30mm
- 特点：高质量锁芯、高质量平开门锁体，
  高强度合金压铸把手及挡板，不锈钢挡板，

- Finish: CP
- Door thickness:30mm-45mm(Or as material thickness)
- Backset: 30mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy
  handle,stainless steel plate.

C-9500A-3

C-2030B

- 面饰：拉丝
- 安装门厚：25mm~45mm（可根据型材厚度选择）
- 中心距：25mm
- 特点：高质量锁芯、高质量平开门锁体，
  高强度合金压铸把手及挡板，不锈钢挡板，
  （可选配中心距35/45mm锁体）

- Finish: SN
- Door thickness:30mm-45mm(Or as material thickness)
- Backset: 25mm
- Characteristic: High quality lock cylinder ,high quality
  lock body , high strength alloy handle,stainless steel plate
  (35/45mm backset lock body are available)

C-2030B-BK

C-2030A

- 面饰：拉丝
- 安装门厚：25mm~45mm（可根据型材厚度选择）
- 中心距：25mm
- 特点：高质量锁芯、高质量平开门锁体，
  高强度合金压铸把手及挡板，不锈钢挡板，
  （可选配中心距35/45mm锁体）

- Finish: SN
- Door thickness:30mm-45mm(Or as material thickness)
- Backset: 25mm
- Characteristic: High quality lock cylinder ,high quality
  lock body , high strength alloy handle,stainless steel plate
  (35/45mm backset lock body are available)

C-2030A-BK

演绎 · 典藏
EXCELLENCE
From Professional

- 可选配不同的锁体
- All above are available

C-5011

- 面饰:拉丝
- 安装门厚:30mm-50mm
- 中心距:35mm
- 特点:高质量锁芯、高质量平开门锁体,
  高强度合金压铸把手及挡板,
  (可选配中心距45mm单锁体或双舌锁体)

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy handle and plate
 (45mm backset lock body or double latch lock body are available)

C-5011-HB

C-5013

C-5022

- 面饰:拉丝
- 安装门厚:30mm-50mm
- 中心距:35mm
- 特点:高质量锁芯、高质量平开门锁体,
  高强度合金压铸把手及挡板,
  (可选配中心距45mm单锁体或双舌锁体)

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy handle and plate
  (45mm backset lock body or double latch lock body are available)

C-5022-SNB

C-5021

DOOR LOCK

C-5031

- 面饰:拉丝
- 安装门厚:30mm~50mm
- 中心距:35mm
- 特点:高质量锁芯、高质量平开门锁体,
  高强度合金压铸把手及挡板,
  (可选配中心距45mm单锁体或双舌锁体)

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy handle and plate
  (45mm backset lock body or double latch lock body are available)

C-5031-HB   **C**-5031   **C**-5034-HB

C-5071

- 面饰:拉丝
- 安装门厚:30mm~50mm
- 中心距:35mm
- 特点:高质量锁芯、高质量平开门锁体,
  高强度合金压铸把手及挡板,
  (可选配中心距45mm单锁体或双舌锁体)

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy handle and plate
  (45mm backset lock body or double latch lock body are available)

C-5041

- 面饰:拉丝
- 安装门厚:30mm~50mm
- 中心距:35mm
- 特点:高质量锁芯、高质量平开门锁体,
  高强度合金压铸把手及挡板,
  (可选配中心距45mm单锁体或双舌锁体)

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy handle and plate
  (45mm backset lock body or double latch lock body are available)

C-5041-HB   **C**-5044   **C**-5043

C-5051

- 面饰:拉丝
- 安装门厚:30mm-50mm
- 中心距:35mm
- 特点:高质量锁芯、高质量平开门锁体,
  高强度合金压铸把手及挡板,
  (可选配中心距45mm单锁体或双舌锁体)

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy handle and plate
  (45mm backset lock body or double latch lock body are available)

C-5051-HB

C-5065

- 面饰: 拉丝
- 安装门厚: 30mm-50mm
- 中心距: 35mm
- 特点: 高质量锁芯、高质量平开门锁体，
  高强度合金压铸把手
  (可选配中心距45mm单锁体或双舌锁体)

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high strength alloy handle
  (45mm backset lock body or double latch lock body are available)

C-5064

C-5011-BK

- 面饰: 拉丝
- 安装门厚: 30mm-50mm
- 中心距: 35mm
- 特点: 高质量平开门锁体，
  高强度合金压铸把手
  (可选配中心距45mm单锁体或双舌锁体)

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: high quality lock body , high strength alloy handle
  (45mm backset lock body or double latch lock body are available)

C-5065-BK

C-5022-BK

DOOR LOCK

C-58011

- 面饰: 拉丝
- 安装门厚: 30mm-50mm
- 中心距: 45mm
- 特点: 高质量锁芯、高质量平开门锁体，
  高强度不锈钢把手

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 45mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high stainless steel handle

C-58022

- 面饰: 拉丝
- 安装门厚: 30mm-50mm
- 中心距: 35mm
- 特点: 高质量锁芯、高质量平开门锁体，
  高强度不锈钢把手

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high stainless steel handle

C-58033

- 面饰: 拉丝
- 安装门厚: 30mm-50mm
- 中心距: 35mm
- 特点: 高质量锁芯、高质量平开门锁体，
  高强度不锈钢把手

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder ,
  high quality lock body , high stainless steel handle

C-58044

- 面饰:拉丝
- 安装门厚:30mm-50mm
- 中心距:35mm
- 特点:高质量锁芯、高质量平开门锁体，高强度不锈钢把手

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder , high quality lock body , high stainless steel handle

C-58055

- 面饰:拉丝
- 安装门厚:30mm-50mm
- 中心距:35mm
- 特点:高质量锁芯、高质量平开门锁体，高强度不锈钢把手

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder , high quality lock body , high stainless steel handle

C-58066

- 面饰:拉丝
- 安装门厚:30mm-50mm
- 中心距:35mm
- 特点:高质量锁芯、高质量平开门锁体，高强度不锈钢把手

- Finish: SN
- Door thickness:30mm-50mm
- Backset: 35mm
- Characteristic: High quality lock cylinder , high quality lock body , high stainless steel handle

DOOR LOCK

追求完美永无止境
ENDLESS
Pursuit Of Perfection

C-938-A

大队长牌938A铝合金移门锁

- 安装门厚:28mm-38mm
- (塑钢型38mm-48mm)
- 中心距:15mm
- Door thickness:28mm-38mm
- (38mm-48mm available)
- Backset: 15mm

C-938-B

大队长牌938B铝合金移门锁

- 安装门厚:28mm-38mm
- (塑钢型38mm-48mm)
- 中心距:15mm
- Door thickness:28mm-38mm
- (38mm-48mm available)
- Backset: 15mm

SNJ-85
使你佳牌85铝合金门锁
- 安装门厚：40mm-50mm
- 中心距：23mm
- Door thickness:40mm-50mm
- Backset: 23mm

SNJ-84
使你佳牌84铝合金门锁
- 安装门厚：30mm-50mm
- 中心距：28mm
- Door thickness:30mm-50mm
- Backset: 28mm

C-5586-B
大队长牌5586B型铁闸门锁
- 安装门厚：30mm-42mm
- 中心距：16mm
- Door thickness:30mm-42mm
- Backset: 16mm

C-5586-I
大队长牌5586型铁闸门锁(铁钩)
- 安装门厚：30mm-42mm
- 中心距：16mm
- Door thickness:30mm-42mm
- Backset: 16mm

C-84
大队长牌84铝合金门锁
- 安装门厚：30mm-50mm
- 中心距：28mm
- Door thickness:30mm-50mm
- Backset: 28mm

JG-99
佳固牌99铝合金门锁
- 安装门厚：30mm-40mm
- 中心距：19mm
- Door thickness:30mm-40mm
- Backset: 19mm

C-5586-IS
大队长牌5586B联动铁闸门锁 (铁勾)
- 安装门厚：30mm-42mm
- 中心距：16mm
- Door thickness:30mm-42mm
- Backset: 16mm

C-5586-BS
大队长牌5586型联动铁闸门锁
- 安装门厚：30mm-42mm
- 中心距：16mm
- Door thickness:30mm-42mm
- Backset: 16mm

JG-41085
佳固牌41085铝合金门锁
- 安装门厚：40mm-50mm
- 中心距：23mm
- Door thickness:40mm-50mm
- Backset: 23mm

JG-4186
佳固牌4186铝合金门锁
- 安装门厚：40mm-50mm
- 中心距：23mm
- Door thickness:40mm-50mm
- Backset: 23mm

SNJ-5586
使你佳牌5586铁闸门锁
- 安装门厚：30mm-42mm
- 中心距：15mm
- Door thickness:30mm-42mm
- Backset: 15mm

C-5586-P
大队长牌5586型塑钢钩锁
- 安装门厚：40mm-50mm
- 中心距：15mm
- Door thickness:40mm-50mm
- Backset: 15mm

SNJ-554
使你佳牌554型铝合金门锁
- 安装门厚：40mm-50mm
- 中心距：15mm
- Door thickness:40mm-50mm
- Backset: 15mm

C-554-L
大队长牌554长芯型铝合金锁
- 安装门厚：40mm-50mm
- 中心距：13mm
- Door thickness:40mm-50mm
- Backset: 13mm

C-554-S
大队长牌554型联动门锁
- 安装门厚：30mm-42mm
- 中心距：13mm
- Door thickness:30mm-42mm
- Backset: 13mm

HR-554-S
华日牌554型联动门锁
- 安装门厚：30mm-42mm
- 中心距：13mm
- Door thickness:30mm-42mm
- Backset: 13mm

C-554
大队长牌554型铝合金门锁
- 安装门厚：30mm-42mm
- 中心距：13mm
- Door thickness:30mm-42mm
- Backset: 13mm

HR-554
华日牌554型铝合金门锁
- 安装门厚：30mm-42mm
- 中心距：13mm
- Door thickness:30mm-42mm
- Backset: 13mm

C-554-E2
大队长牌554E2型门锁
- 安装门厚：40mm-50mm
- 中心距：16mm
- Door thickness:40mm-50mm
- Backset: 16mm

C-554-E
大队长牌554E型门锁
- 安装门厚：40mm-50mm
- 中心距：17mm
- Door thickness:40mm-50mm
- Backset: 17mm

C-554-O
大队长牌554型单面锁
- 安装门厚：20mm-30mm
- 中心距：13mm
- Door thickness:20mm-30mm
- Backset: 13mm

HR-554-O
华日牌554型单面锁
- 安装门厚：20mm-30mm
- 中心距：13mm
- Door thickness:20mm-30mm
- Backset: 13mm

C-5588-E
大队长牌5588E型门锁
- 安装门厚：40mm-50mm
- 中心距：20mm
- Door thickness:40mm-50mm
- Backset: 20mm

C-5586-E
大队长牌5586E型门锁
- 安装门厚：40mm-50mm
- 中心距：16mm
- Door thickness:40mm-50mm
- Backset: 16mm

M-41054 (4123)
41054(4123)铝合金门锁

- 安装门厚：40mm-50mm
- 中心距：22mm
- Door thickness:40mm-50mm
- Backset: 22mm

M-41055 (5123)
41055(5123)铝合金门锁

- 安装门厚：40mm-50mm
- 中心距：22mm
- Door thickness:40mm-50mm
- Backset: 22mm

M-5128
5128铝合金门锁

- 安装门厚：35mm-45mm
- 中心距：28mm
- Door thickness:35mm-45mm
- Backset: 28mm

M-4128
4128铝合金门锁

- 安装门厚：35mm-45mm
- 中心距：28mm
- Door thickness:35mm-45mm
- Backset: 28mm

M-1862
1862铝合金门锁

- 安装门厚：30mm-50mm
- 中心距：22mm
- Door thickness:30mm-50mm
- Backset: 22mm

M-1684
1684铝合金门锁

- 安装门厚：30mm-50mm
- 中心距：22mm
- Door thickness:30mm-50mm
- Backset: 22mm

M-1864
1864铝合金门锁

- 安装门厚：30mm-50mm
- 中心距：19mm
- Door thickness:30mm-50mm
- Backset: 19mm

M-43020
43020铝合金门锁

- 安装门厚：40mm-50mm
- 中心距：17mm
- Door thickness:40mm-50mm
- Backset: 17mm

M-1863
1863铝合金门锁

- 安装门厚：30mm-50mm
- 中心距：22mm
- Door thickness:30mm-50mm
- Backset: 22mm

M-1683
1683铝合金门锁

- 安装门厚：30mm-50mm
- 中心距：22mm
- Door thickness:30mm-50mm
- Backset: 22mm

C-4186C
佳固牌4186C铝合金门锁

- 安装门厚：40mm-50mm
- 中心距：23mm
- Door thickness:40mm-50mm
- Backset: 23mm

C-300D
300D铝合金门锁

- 安装门厚：30mm-50mm
- 中心距：40mm
- Door thickness:30mm-50mm
- Backset: 40mm

C-50E-B

- 安装门厚：30mm-40mm
- 中心距：50mm
- Door thickness:30mm-40mm
- Backset: 50mm

C-7065-B

- 安装门厚：30mm-40mm
- 中心距：70mm
- Door thickness:30mm-40mm
- Backset: 70mm

C-7066-B

- 安装门厚：40mm-50mm
- 中心距：70mm
- Door thickness:40mm-50mm
- Backset: 70mm

DOOR LOCK

C-7065

可做成9045
(9045 available)

C-7066

C-8530E

C-8530E-M

C-8530E-2

C-8530E-M2

C-8530E-ZL

C-8530E-MZL

C-8520A

C-8525A

C-8530A

C-8535A

C-8525B

C-8530B

C-8535B

C-8540

C-8570

C-8530B-R

C-8545

C-8545-3

C-9235

C-7250

C-8550

C-8560

C-8535M

C-9235M

C-5045

C-5050W

C-LB45

C-LB30E

C-5060S

C-35S

C-8520-R1

C-8525-R1

C-7025

C-7030

C-8225

C-8230

C-C7-80

16.7

32.5

80

C-C7-90

16.7

32.5

90

C-C7-60

16.7

32.5

60

C-C7-60S

16.7

32.5

60

C-E60

12.7

27.7

60

C-C7-60ZS

16.7

32.5

60

DOOR LOCK

卓越源于专业
EXCELLENCE
From Professional

JG-608-01BK

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

116 / 55

JG-608-02BK

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

120 / 55

JG-608-05BK

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

125 / 55

JG-608-05BK-GP

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：仿金
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: GP

125 / 55

JG-608-02BK-HB

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：枪间金
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: HB

120 / 55

JG-608-03BK

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

120 / 55

JG-609-04BK

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

120 / 55

JG-609-01BK

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

116 / 55

JG-608-04BK-SBN

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：砂间金
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SNB

120 / 55

JG-608-04

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

120 / 55

JG-609-02BK

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

120 / 55

JG-609-02BK-HB

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：枪间金
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: HB

120 / 55

JG-302-02BK
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

125
66

JG-302BK-HB
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：枪间金
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: HB

105
66

JG-6500-CP
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

95
65

JG-6500-W
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：白色
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: WH

95
65

JG-302BK
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

105
66

JG-6100-SN
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SN

95
65

JG-6600-AB
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：青古
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: AB

95
65

JG-6800-GP
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：仿金
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: GP

105
65

JG-6200-AC
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：红古
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: AC

95
65

JG-6300-AB
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：青古
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: AB

95
65

JG-102-SS
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SS

95
30-50

JG-101-SS
- 安装门厚：30mm-50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish: SS

95
30-50

品质改变世界

QUALITY
Change The World

JG-607-SP

- 安装门厚：30mm~50mm
  （塑钢型50mm~70mm）
- 中心距：60/70mm
- 面饰：亮光
- Door thickness:30mm-50mm
  (50mm-70mm available)
- Backsset: 60/70mm
- Finish: SP

170-185

30-50

JG-607-SSBK

- 安装门厚：30mm~50mm
  （塑钢型50mm~70mm）
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
  (50mm-70mm available)
- Backsset: 60/70mm
- Finish: SS

170-185

30-50

JG-607-W

- 安装门厚：30mm~50mm
  （塑钢型50mm~70mm）
- 中心距：60/70mm
- 面饰：喷白
- Door thickness:30mm-50mm
  (50mm-70mm available)
- Backsset: 60/70mm
- Finish: WH

170-185

30-50

JG-607-CPS

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：铜亮光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish:CL

170-185

30-50

JG-609-SP

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：亮光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish:SP

170-185

30-50

JG-609-SS-BK

- 安装门厚：30mm~50mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish:SS

170-185

30-50

JG-5731-SP

- 安装门厚: 30mm-50mm
- 中心距: 60/70mm
- 面饰: 亮光
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish:SP

170-185
30-50

JG-5831-SST

- 安装门厚: 30mm-50mm
- 中心距: 60/70mm
- 面饰: 钢双线
- Door thickness:30mm-50mm
- Backsset: 60/70mm
- Finish:SST

170-185
30-50

JG-5831-CT

- 安装门厚: 35mm-55mm
- 中心距: 60/70mm
- 面饰: 铜双线
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:CT

170
35-55

JG-587-AC

- 安装门厚: 35mm-55mm
- 中心距: 60/70mm
- 面饰: 红古
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:AC

105
35-55

JG-5731B-SST

- 安装门厚: 35mm-55mm
- 中心距: 60/70mm
- 面饰: 钢双线
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SST

105
35-55

JG-5791B-SP

- 安装门厚: 35mm-55mm
- 中心距: 60/70mm
- 面饰: 亮光
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SP

105
35-55

JG-588-AC

- 安装门厚: 35mm-55mm
- 中心距: 60/70mm
- 面饰: 红古
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:AC

170
35-55

JG-588-SN

- 安装门厚: 35mm-55mm
- 中心距: 60/70mm
- 面饰: 砂光
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SN

170
35-55

JG-522-HB

- 安装门厚: 35mm-55mm
- 中心距: 60/70mm
- 面饰: 枪间金
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:HB

170
35-55

JG-522-SN

- 安装门厚: 35mm-55mm
- 中心距: 60/70mm
- 面饰: 砂光
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SN

170
35-55

JG-533-HB

- 安装门厚: 35mm-55mm
- 中心距: 60/70mm
- 面饰: 枪间金
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:HB

170
35-55

JG-533-SNB

- 安装门厚: 35mm-55mm
- 中心距: 60/70mm
- 面饰: 砂间金
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SNB

170
35-55

JG-5882-HB

- 安装门厚：35mm-55mm
- 中心距：60/70mm
- 面饰：枪间金
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:HB

170

35-55

JG-5880-SN

- 安装门厚：35mm-55mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SN

170

35-55

JG-5883-SN

- 安装门厚：35mm-55mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SN

170

35-55

JG-5884-SN

- 安装门厚：35mm-55mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SN

170

35-55

JG-5884-SNB

- 安装门厚：35mm-55mm
- 中心距：60/70mm
- 面饰：砂间金
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SNB

170

35-55

JG-5885-SN

- 安装门厚：35mm-55mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SN

170

35-55

DOOR LOCK

JG-5886-HB

- 安装门厚：35mm-55mm
- 中心距：60/70mm
- 面饰：枪间金
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:HB

170

35-55

JG-5886-SN

- 安装门厚：35mm-55mm
- 中心距：60/70mm
- 面饰：砂光
- Door thickness:35mm-55mm
- Backsset: 60/70mm
- Finish:SN

170

35-55

C-T70 筒式锁利（70mm）

C-T60 筒式锁利（60mm）

C-T6070-BK 三杆锁利（60-70mm）

C-T6070-ET 三杆锁利（60-70mm）

品质，共同见证……

QUALITY,

Common Witness……

DOOR LOCK

C-H001

C-H002

C-H003

C-H004

C-H005

C-H006

C-H007

C-H008

C-H009

C-H010

C-H011

C-H012

DOOR LOCK

C-D001

C-D002

C-D003

C-D004

C-D005

C-D006

C-A2

198
1.5
23.5
165

C-A3

188.8
173
164
27

C-A4

22.5
182
177.3
24
173.6
22.5 0
165
182

C-A5

195
1.5
23.5
165

C-A6

164
182
2-M5
28
1.2
22.5
182
22.5

C-A8

153
21.5
1.5
24.5

C-A9-C

34
175
39
155
24

C-A9

34
175
39
155
24

C-A10

215
86
40
50
165

C-A11

167
195
43
135.5
26

C-A7

170
152
37

C-A12

125
178
125
178
125
178
32
90
90
32
15
68

C-S001

C-S002

C-S007

C-S008

C-S003

C-S004

C-S009

C-S010

C-S005

C-S006

C-C001

C-C002

C-C003

C-C004

C-C005

C-C006

C-C007

C-C008

C-HG001

C-HG002

C-HG003

C-HG004

C-HG005

C-HG006

C-HG007

C-HG008

C-HG013

C-HG014

C-HG009

C-HG010

C-HG015

C-HG016

C-HG011

C-HG012

C-HG017

C-HG018

C-HG019

C-HG020

C-HG021

C-HG022

C-HG023

C-HG024

DOOR LOCK

C-B001

C-B002

C-B003

C-B004