

PROJECT SAMPLE SUBIMTION

NO.	ITEMS	SPECIFICATIONS
1	Material Specified/Alternative	Kitchen Sink
2	Location of use/ Description	Kitchens
3	Specification	S.S.304 grade sand polished finish
4	Origin (Country)	China
5	Supplier	Changzhou Alco International Co., Ltd.
6	Local Supplier/Agency	
7	Agent Contact Details	
8	Estimated Delivery Period	15days for production. As per site require, Estimated Date of Arrival:
9	Samples /Catalogues - Enclosers	Sample, Tech Data Sheet, CE certificate
10	Test Results/ Compliance Status	

Real product picture



TECHNICAL DATASHEET

Product Name: Double bowls Stainless Steel kitchen Sink

Item No.: SS-304-LS8050DB

Material: SUS304 Stainless Steel

Applicable Market: EN / Middle East

1. Scope

This Material Compliance Report covers the material composition, chemical analysis and compliance verification of SUS304 stainless steel sink.


2. Product & Specification:



LS-8050DB

Size:800x500x200mm

Inch:31.5"x19.6"x7.9"



3. SUS304 (1.4301) Chemical Composition 304

Standard reference:

ASTM A240 / EN 10088

Element	C	Mn	Si	P	S	Ni	Cr
Standard %	≤0.08	≤2.00	≤1.00	≤0.035	≤0.03	8.00~11.00	17.00~20.00
Test result	0.069	1.498	0.65	0.034	0.028	8.13	17.23



Test Verification of Conformity

Verification Number: 260312088GZU-VOC001

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>. This verification replaces previous verification number 260312088GZU-VOC001 dated: April 28, 2026

This document can be used in support of a claim in meeting relevant <EU> legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	Changzhou Alco International Co., Ltd No. 411, Building 5-2, Taihuxi Road, Changzhou City, Jiangsu, China
Product Description:	Kitchen sink
Ratings & Principle Characteristics:	See APPENDIX
Models/Type References:	See APPENDIX
Brand Names:	---
Specification<s>/Standards:	EN 13310:2015+A1:2018 (E)
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Room 4103 & 4203, No. 63, Punan Road, Huangpu District, Guangzhou Guangdong Province, China
Date of Tests:	March 23, 2026 to April 17, 2026
Test Report Number(s):	260312088GZU-001 dated on May 7, 2026

Note: This Test Verification of Conformity expire on April 27, 2029.

Signature

Name: Syanson Xu

Position: Senior Project Engineer

Date: May 7, 2026

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 260312088GZU-VOC001. Item No.

Item No.	Model No.	Description
1	145070	stainless steel kitchen sink, single bowl, without tap hole, without overflow hole. Size: 420*420*160mm.
2	145071	stainless steel kitchen sink, single bowl, without tap hole, without overflow hole. Size: 480*480*160mm.
3	145072	stainless steel kitchen sink, single bowl, without tap hole, with overflow hole. Size: 570*450*160mm.
4	145073	stainless steel kitchen sink, single bowl, without tap hole, with overflow hole. Size: 750*400*150mm.
5	145074	stainless steel kitchen sink, double bowls, without tap hole, with overflow hole. Size: 840*480*200mm.
6	145075	stainless steel kitchen sink, double bowls, without tap hole, with overflow hole. Size: 1200*500*155mm.
7	145076	stainless steel kitchen sink, single bowl, without tap hole, without overflow hole. Size: 440*290*200mm.
8	145077	stainless steel kitchen sink, single bowl, without tap hole, without overflow hole. Size: 440*440*200mm.
9	145078	stainless steel kitchen sink, single bowl, without tap hole, without overflow hole. Size: 590*440*200mm.
10	145079	stainless steel kitchen sink, double bowls, without tap hole, without overflow hole. Size: 760*440*200mm.
11	145087/LS-8050DB	stainless steel kitchen sink, double bowls, with tap hole, with overflow hole. Size: 800*500*200mm.
12	145081	stainless steel kitchen sink, double bowls, without tap hole, without overflow hole. Size: 1115*440*205mm.
13	145082	stainless steel kitchen sink, single bowl, without tap hole, without overflow hole. Size: 440*290*200mm.

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Intertek

Page 2 of 6

GFT-OP-11a (14 March 2025)



TEST REPORT EN 13310 Kitchen sinks — Functional requirements and test methods	
Report Reference No.....	260312088GZU-001
Tested by (name and signature).....	Orange Chen Project Engineer
Approved by (name and signature).....	Syanson Xu Senior Project Engineer
Date of original issue	April 28, 2026
Date of revised issue	May 7, 2026
Contents.....	Total test report 14 pages including: Report text: 10 pages Appendix A for product photos: 3 pages Appendix B for revision page: 1 page
Testing Laboratory name	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch
Address	Room 4103 & 4203, No. 63, Punan Road, Huangpu District, Guangzhou, Guangdong Province, China
Testing location.....	Same as above
Applicant's name	Changzhou Alco International Co., Ltd.
Address	No. 411, Building 5-2, Taihuxi Road, Changzhou City, Jiangsu, China
Test specification:	
Standard	EN 13310:2015+A1:2018 (E)
Non-standard test method.....	N/A
Test Report Form No.	TTRF_EN 13310_d
TTRF Originator	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch
Master TTRF	Dated 2024-05-07
Test item description	Kitchen sink
Trade Mark	—
Model and/or type reference	See "General product information" on page 2 to 4
Manufacturer	Changzhou Alco International Co., Ltd
Rating(s)	—
Summary of testing: The submitted samples were tested and found to COMPLY WITH applicable requirements of EN 13310:2015+A1:2018 (E).	

Test item particulars:
Classification of installation and use : Preparation of food, washing of dishes and discharge of domestic wastewater Supply Connection : —
Possible test case verdicts: - Test case does not apply to the test object : N/A - Test object does meet the requirement : P (Pass) - Test object does not meet the requirement : F (Fail)
Testing: Date of receipt of test item : March 11, 2026 and April 15, 2026 Date (s) of performance of tests : March 23, 2026 to April 17, 2026
General remarks: This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program. "(See remark #)" refers to a remark appended to the report. "(See Appendix #)" refers to an appendix appended to the report. When determining the test result, measurement uncertainty has been considered. The clause which indicated with * is the subcontract test item. All the test results if need to give the statement of conformity refer to the decision rule of ILAC G8:09/2019 Clause 4.2.1 "Binary Statement for Simple Acceptance Rule". The revised report replaces the report of the previous version.

Model No.	Description	Remark
145070	stainless steel kitchen sink, single bowl, without tap hole, without overflow hole. Size: 420*420*160mm.	Cover by 145072
145071	stainless steel kitchen sink, single bowl, without tap hole, without overflow hole. Size: 480*480*160mm.	Cover by 145072
145072	stainless steel kitchen sink, single bowl, without tap hole, with overflow hole. Size: 570*450*160mm.	Test Model
145073	stainless steel kitchen sink, single bowl, without tap hole, with overflow hole. Size: 750*400*150mm.	Cover by 145075
145074	stainless steel kitchen sink, double bowls, without tap hole, with overflow hole. Size: 840*480*200mm.	Cover by 145075
145085	stainless steel kitchen sink, double bowls, without tap hole, without overflow hole. Size: 760*440*200mm.	Cover by 51525
145086	stainless steel kitchen sink, single bowl, without tap hole, without overflow hole. Size: 870*440*200mm.	Cover by 145087
145087/ LS-8050DB	stainless steel kitchen sink, double bowls, with tap hole, with overflow hole. Size: 800*500*200mm.	Test Model

TTRF_EN 13310_d © 2024 Intertek

Originator: Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

Effective date: 2024-05-07

EN 13310			
Clause	Requirement - Test	Result - Remark	Verdict
4	Characteristics		
4.1	General Instructions for installation, use and care shall be supplied. Annex A gives advice on the care and use of kitchen sinks which can be included in the instructions for use and care. NOTE The manufacturer's declaration of conformity with applicable European Directives is made in his instructions for use and care on materials intended to come into contact with foodstuffs (see Bibliography).	Complied	P
4.2	Connecting dimensions The connecting dimensions shall meet the requirements specified in EN 695.	The submitted sample met the requirement of EN695.	P
4.3	Draining of water When tested in accordance with 5.2 all surfaces of the kitchen sink shall be inclined towards the bowl(s) and/or outlet(s) to ensure the drainage of water. The requirement shall apply only to the bowl and the draining area (if applicable). The requirement shall not apply to tap platforms.	No water remained.	P
4.4	Resistance to dry heat The test is intended to determine the suitability of kitchen sink surfaces where contact with moderately hot cooking pots is to be expected. When tested in accordance with 5.3, or alternatively at a temperature of 180 °C in accordance with ISO 4211-3, the kitchen sink shall not show surface changes which influence its usage, e.g. cracks, crazing, through cracks, blistering. Experience has shown that kitchen sinks made of glazed ceramics and stainless steel comply with this characteristic.	Complied	P
4.5	Resistance to temperature changes When tested in accordance with 5.4, the kitchen sink shall not show surface changes which influence its intended usage, e.g. cracks, de-lamination. Experience has shown that kitchen sinks made of glazed ceramics and stainless steel comply with this characteristic.	Complied	P

EN 13310			
Clause	Requirement - Test	Result - Remark	Verdict
4.6	Resistance against chemicals and staining agents Kitchen sinks, when used as intended, shall be resistant to household chemicals, foodstuffs and cleansing agents. When tested in accordance with 5.5, the kitchen sinks shall not show any permanent surface deterioration, such as stains or deterioration which are not removable with water or abrasive agents.	No permanent surface deterioration after test.	P
4.7	Surface stability		
4.7.1	Resistance to scratching This characteristic is applicable only to multi-layer kitchen sinks to ensure the stability of the top layer. When tested in accordance with 5.5, any scratch shall not exceed 0,1 mm and/or the total depth of the top layer whichever is the least. Experience has shown that kitchen sinks made of glazed ceramics and stainless steel comply with this characteristic.		N/A
4.7.2	Resistance to abrasion This characteristic is applicable only to multi-layer kitchen sinks to ensure the stability of the top layer. When tested in accordance with 5.7, the top layer of the test specimen shall not be abraded through. Experience has shown that kitchen sinks made of glazed ceramics and stainless steel comply with this characteristic.		N/A
4.8	Load stability When tested in accordance with 5.8, the wall-hung sink shall not crack, fall down or show permanent distortion.		N/A
4.9	Flow rate of the overflow Every kitchen sink shall be protected against overflowing. When tested in accordance with 5.9, the flow rate of the overflow shall not be less than 0,20 l/s. NOTE In kitchen sinks with two or more bowls, it is possible to have only one overflow if the overflow from one bowl is interconnected to the other. A non-closeable outlet can also be used as an overflow.	For model 145075 (with overflow hole): The flow rate of the overflow was 0.26 L/s. For model 51515, 51525, 145072, 145087, 147234 (with non-closeable waste fitting): The flow rate of the overflow was more than 0.20 L/s.	P

EN 13310			
Clause	Requirement - Test	Result - Remark	Verdict
4.10	Durability Kitchen sinks conforming to the characteristic of 4.3 to 4.8 are deemed to be durable.	Complied	P
6	Dangerous substances	Informative	
7	Marking	The manufacturer shall carry out conformity marking of the product according to this standard and relevant EU regulation.	—
8	Assessment and verification of constancy of performance - AV/CP		
8.1	General The compliance of kitchen sinks with the requirements of this standard and with the performances declared by the manufacturer in the DoP shall be demonstrated by: — determination of product type (see 8.2); — factory production control by the manufacturer, including product assessment (see 8.3). The manufacturer shall always retain the overall control and shall have the necessary means to take responsibility for the conformity of the product with its declared performance(s).		P
8.2	Type testing		
8.2.1	General All performances related to characteristics included in this standard shall be determined when the manufacturer intends to declare the respective performances unless the standard gives provisions for declaring them without performing tests (e.g. use of previously existing data, CV/FT and conventionally accepted performance).		P
8.2.2	Test samples, testing and compliance criteria The number of samples of kitchen sinks to be tested/assessed shall be in accordance with Table 3.		P
8.3	Factory Production Control (FPC)		
8.3.1	General The manufacturer shall establish, document and maintain an FPC system to ensure that the products placed on the market comply with the declared performance of the Essential Characteristics.	The applicant supplied ISO 9001 certificate.	P
8.3.2	Equipment		

EN 13310			
Clause	Requirement - Test	Result - Remark	Verdict
8.3.2.1	Testing All weighing, measuring and testing equipment shall be calibrated and regularly inspected in accordance with the documented procedures, frequencies and criteria.	The applicant supplied ISO 9001 certificate.	P
8.3.2.2	Manufacturing All equipment used in the manufacturing process shall be regularly inspected and maintained to ensure use; wear or failure does not cause inconsistency in the manufacturing process. Inspections and maintenance should be carried out and recorded in accordance with the manufacturer's written procedures and the records retained for the period defined in the manufacturer's FPC procedures.	The applicant supplied ISO 9001 certificate.	P
8.3.3	Raw materials and components The specifications of all incoming raw materials and components shall be documented, as shall the inspection scheme for ensuring their compliance. In case supplied kit components are used, the constancy of performance system of the component shall be that given in the appropriate harmonized technical specification for that component.	The applicant supplied ISO 9001 certificate.	P
8.3.4	Product testing and evaluation The manufacturer shall establish and document procedures to ensure that the stated values of all of the characteristics are maintained.	The applicant supplied ISO 9001 certificate.	P



EN 13310			
Clause	Requirement - Test	Result - Remark	Verdict
8.3.5	Non-complying products The manufacturer shall have written procedures which specify how non-complying products shall be dealt with. Any such events shall be recorded as they occur and these records shall be kept for the period defined in the manufacturer's written procedures. Where the product fails to satisfy the acceptance criteria, the provisions for non-complying products shall apply, the necessary corrective action(s) shall immediately be taken and the products or batches not complying shall be isolated and properly identified. Once the fault has been corrected, the test or verification in question shall be repeated. The results of controls and tests shall be properly recorded. The product description, date of manufacture, test method adopted, test results and acceptance criteria shall be entered in the records under the signature of the person responsible for the control/test. With regard to any control result not meeting the requirements of this European Standard, the corrective measures taken to rectify the situation (e.g. a further test carried out, modification of manufacturing process, throwing away or putting right of product) shall be indicated in the records.	The applicant supplied ISO 9001 certificate.	P
8.3.6	Corrective action The manufacturer shall have documented procedures that instigate action to eliminate the cause of nonconformities in order to prevent recurrence.	The applicant supplied ISO 9001 certificate.	P

*****End of this page*****

EN 695																			
Clause	Requirement - Test	Result - Remark	Verdict																
4	Waste outlet holes The connecting dimensions for waste outlet holes shall comply with the requirements given in Table 1 except when the waste outlets are supplied by the manufacturer together with the kitchen sink.	The submitted sample was matched a suitable waste fitting.	P																
5	Fitting area for tap holes																		
5.1	Fitting area for a single tap hole The fitting area for the single tap hole shall comply with the requirements given in Table 2.	Only for model 51515: <table><tr><th>Symbol</th><th>Dimensions (mm)</th></tr><tr><td>d₂ (34~37)</td><td>35.07</td></tr><tr><td>d₃ (≥64)</td><td>74.95</td></tr><tr><td>s (≤18)</td><td>2.45</td></tr><tr><td>κ (≥25)</td><td>36.53</td></tr><tr><td>r₁ (≥30)</td><td>38.53</td></tr><tr><td>x (≤5)</td><td>5</td></tr><tr><td>g₁</td><td>74.95</td></tr></table>	Symbol	Dimensions (mm)	d ₂ (34~37)	35.07	d ₃ (≥64)	74.95	s (≤18)	2.45	κ (≥25)	36.53	r ₁ (≥30)	38.53	x (≤5)	5	g ₁	74.95	P
Symbol	Dimensions (mm)																		
d ₂ (34~37)	35.07																		
d ₃ (≥64)	74.95																		
s (≤18)	2.45																		
κ (≥25)	36.53																		
r ₁ (≥30)	38.53																		
x (≤5)	5																		
g ₁	74.95																		
5.2	Fitting area for the two-hole mixer tap The fitting area for the two-hole mixer tap shall comply with the requirement given in Table 3.		N/A																
6	Overflow holes Overflow holes, if provided, shall meet the requirements of Table 4 except when the overflow and its pipework is supplied by the manufacturer together with the kitchen sink or for kitchen sinks with an integral overflow.	Only for model 145075: The overflow and its pipework were supplied by the manufacturer together with the kitchen sink.	P																

*****End of this page*****

	
	BLANK
145087	
	
	BLANK
147234	

End of this page



Appendix B
Revision page

Revision No.	Date	Changes	Author	Reviewer
R0	/	First issue	/	/
R1	May 7, 2026	1. Added covered model LS-3934 and LS16045HB to this report. 2. Revised the size of model 51512 from "550*440*200mm" to "590*440*200mm" on page 3.	Orange Chen	Syanson Xu

Noted: The report 260312088GZU-001 with revision No. R0 will be replaced by the revision No. R1 report, it will be effective from May 7, 2026, and the revision No. R0 report will be invalid.

*****End of this report*****

Our catalogue

热销爆款
Hot products





热销爆款
Hot products



H7843HB-B



H7843HB-S



7545FA1-S



H7843HB2-S



圆盆系列

Round basin series

**LS-4242**

Size:420x420x(180~200)mm
Inch:16.5"x16.5"x(7"-7.9")

**LS-4343**


Size:430x430x(180~200)mm
Inch:16.9"x16.9"x(7"-7.9")

**LS-4848Y**

Size:480x480x(160~200)mm
Inch:18.9"x18.9"x(6.3"-7.9")

**LS-4848F**

Size:480x480x(160~200)mm
Inch:18.9"x18.9"x(6.3"-7.9")

**HOT****LS-4949**


Size:490x490x(160~200)mm
Inch:19.3"x19.3"x(6.3"-7.9")

**LS-5151**


Size:510x510x(160~200)mm
Inch:20"x20"x(6.3"-7.9")

**LS-5745**


Size:570x450x(160~200)mm
Inch:22.4"x17.7"x(6.3"-7.9")

**LS-7245**


Size:720x450x200mm
Inch:28.3"x17.7"x7.9"

**LS-7750**


Size:770x500x(160~200)mm
Inch:30.3"x19.6"x(6.3"-7.9")

**LS-8143S**


Size:810x430x(160~200)mm
Inch:31.9"x16.9"x(6.3"-7.9")

**LS-8143D**


Size:810x430x(160~200)mm
Inch:31.9"x16.9"x(6.3"-7.9")

**LS-8244**

Size:820x440x(160~200)mm
Inch:32.3"x17.3"x(6.3"-7.9")

**LS-12046A**

Size:1200x460x(160~200)mm
Inch:47"x18"x(6.3"-7.9")




单盆系列

Single basin series




LS-3636

Size:360x360x(140~150)mm
Inch:14.1"x14.1"(5.5"~5.9")




LS-4641A

Size:460x410x200mm
Inch:18.1"x16.1"x7.9"




LS-3636B

Size:360x360x(140~150)mm
Inch:14.1"x14.1"(5.5"~5.9")




LS-4641B

Size:460x410x200mm
Inch:18.1"x16.1"x7.9"




LS-3838

Size:380x380x(160~200)mm
Inch:15"x15"x(6.3"~7.9")




LS-4734

Size:470x340x200mm
Inch:18.5"x13.4"x7.9"




LS-4237

Size:420x370x150mm
Inch:16.5"x14.5"x5.9"




LS-4848F3

Size:480x480x200mm
Inch:18.9"x18.9"x7.9"




LS-4237S

Size:420x370x(160~200)mm
Inch:16.5"x14.6"x(6.3~7.9)"




LS-4947

Size:495*470*200mm
Inch:19.5"x18.5"x7.9"



LS-4545


Size:450x450x220mm
Inch:17.7"x17.7"x8.7"



HOT

LS-5040

Size:500x400x(160~200)mm
Inch:19.6"x15.7"x(6.3"~7.9")




单盆系列

Single basin series







LS-6045A
Size:600x450x200mm
Inch:23.6"x17.7"x7.9"




LS-6242B
Size:620*420*203mm
Inch:24.4"x16.5"x7.9"




LS-6045B
Size:600x450x200mm
Inch:23.6"x17.7"x7.9"




LS-6146
Size:610x460x(180~200)mm
Inch:24.4"x18.1"x8.7"




LS-6045C
Size:600x450x(180~200)mm
Inch:23.6"x17.7"x(7"~7.9")




LS-6248
Size:620x480x200mm
Inch:24.4"x18.9"x7.9"




LS-6143
Size:610x430x200mm
Inch:24"x16.9"x7.9"




LS-6454
Size:640x540x(145~200)mm
Inch:25.1"x21.2"x(5.7"~7.9")




LS-6143B
Size:610x430x200mm
Inch:24"x16.9"x7.9"




LS-6456
Size:635x559x(145~200)mm
Inch:25"x22"x(5.7"~7.9")




LS-6150
Size:610x500x200mm
Inch:24"x19.6"x7.9"




LS-6845B
Size:680x450x200mm
Inch:26.8"x17.7"x7.9"



LS-6242S
Size:620*420*203mm
Inch:24.4"x16.5"x7.9"




LS-7050
Size:700x500x200mm
Inch:27.5"x19.6"x7.9"






LS-7545A

Size:750x450x200mm
Inch:29.5"x17.7"x7.9"



LS-7545B

Size:750x450x200mm
Inch:29.5"x17.7"x7.9"




LS-8050S/6042

Size:800x500x200mm
Inch:31.5"x19.6"x7.9"
Size:600x420x200mm
Inch:23.6"x16.5"x7.9"




LS-8147

Size:813x478x200mm
Inch:32"x18.8"x7.9"




LS-8551

Size:850x515x200mm
Inch:33.5"x20.2"x7.9"




LS-7642D

Size:760x420x200mm
Inch:30"x16.5"x7.9"




LS-7643

Size:760x430x200mm
Inch:30"x16.9"x7.9"




LS-7749

Size:770x490x200mm
Inch:30.3"x19.3"x7.9"




LS-7843A

Size:780x430x200mm
Inch:30.7"x16.9"x7.9"




LS-7843B

Size:780x430x180mm
Inch:30.7"x16.9"x7.1"




LS-7843C

Size:780x430x180mm
Inch:30.7"x16.9"x7.1"



LS-7843D

Size:780x430x(180~200)mm
Inch:30.7"x16.9"x(7.1~7.9)"




双盆系列

Double basin series



7238/7540D


Size:720x380x200mm
Inch:28.3"x14.9"x7.9"
Size:750x400x200mm
Inch:29.5"x15.7"x7.9"






LS-8143

Size:810x430x200mm
Inch:31.9"x16.9"x7.9"




LS-8848

Size:880x480x200mm
Inch:34.6"x18.9"x7.9"




LS-8448

Size:840x480x200mm
Inch:33"x18.9"x7.9"




LS-8060D

Size:800x600x180mm
Inch:31.5"x23.6"x7.1"



LS-8050DA

Size:800x500x200mm
Inch:31.5"x19.6"x7.9"




带板盆系列 With plate basin series




LS-4646

Size:460x460x200mm
Inch:18.1"x18.1"x7.9"




LS-8050DB

Size:800x500x200mm
Inch:31.5"x19.6"x7.9"




LS-5050

Size:500x500x(145~200)mm
Inch:19.6"x19.6"x(5.7"~7.9")




LS-8349

Size:830x490x180mm
Inch:32.7"x19.3"x7.1"




LS-6050

Size:600x500x(145~200)mm
Inch:23.6"x19.6"x(5.7"~7.9")




LS-8456

Size:840x555x180mm
Inch:33.1"x21.9"x7.1"



LS-6060

Size:600x600x(145~200)mm
Inch:23.6"x23.6"x(5.7"~7.9")




带板盆系列


With plate basin series

**LS-6248BL**


Size: 620x480x110mm
Inch: 24.4"x18.8"x4.3"

**LS-7029**


Size: 700x287x200mm
Inch: 27.5"x11.2"x7.9"

**LS-6248BR**


Size: 620x480x110mm
Inch: 24.4"x18.8"x4.3"

**LS-7348**


Size: 730x480x200mm
Inch: 28.7"x18.9"x7.9"

**LS-6348**

Size: 630x475x150mm
Inch: 24.8"x18.7"x5.9"

**LS-7540SA**


Size: 750x400x(145~200)mm
Inch: 29.5"x15.7"x(5.7"~7.9")

**LS-6349**


Size: 630x490x(160~200)mm
Inch: 24.8"x19.3"x(6.3"~7.9")

**LS-7540SB**


Size: 750x400x(145~200)mm
Inch: 29.5"x15.7"x(5.7"~7.9")

**LS-6540**

Size: 652x402x129.2mm
Inch: 25.8"x15.8"x5.1"

**LS-7540SC**


Size: 750x400x(145~200)mm
Inch: 29.5"x15.7"x(5.7"~7.9")

**LS-6642**

Size: 660x420x(145~200)mm
Inch: 25.9"x16.5"x(5.7"~7.9")

**LS-7642S**


Size: 760x420x(145~200)mm
Inch: 29.9"x16.5"x(5.7"~7.9")






LS-7646

Size: 760x460x(145~200)mm
Inch: 29.9"x18.1"x(5.7"~7.9")




LS-7646L

Size: 760x460x200mm
Inch: 29.9"x18.1"x7.9"




LS-7844A

Size: 780x440x(145~200)mm
Inch: 30.7"x17.3"x(5.7"~7.9")




LS-7844B

Size: 780x430x200mm
Inch: 30.7"x17.3"x7.9"




LS-7848

Size: 780x480x200mm
Inch: 30.7"x18.8"x7.9"




LS-8040

Size: 800x400x(145~200)mm
Inch: 31.5"x15.7"x(5.7"~7.9")




LS-8044

Size: 800x435x(145~200)mm
Inch: 31.5"x17.1"x(5.7"~7.9")




LS-8050SA

Size: 800x500x(145~200)mm
Inch: 31.5"x19.6"x(5.7"~7.9")




LS-8050SB

Size: 800x500x200mm
Inch: 31.5"x19.7"x7.9"




LS-8344

Size: 830x440x(150~200)mm
Inch: 32.7"x17.3"x(5.9"~7.9")




LS-8060S

Size: 800x600x(145~200)mm
Inch: 31.5"x23.6"x(5.7"~7.9")




LS-8643

Size: 860x430x(150~200)mm
Inch: 33.9"x16.9"x(5.9"~7.9")




LS-9050

Size: 900x500x(145~200)mm
Inch: 35.4"x19.6"x(5.7"~7.9")



LS-9146B

Size: 910x460x(145~200)mm
Inch: 35.8"x18.1"x(5.7"~7.9")




带板盆系列


With plate basin series

**LS-9146**


Size:915x460x(145~200)mm
Inch:35.8"x18.1"x(5.7"~7.9")

**LS-10050B**


Size:1000x500x(145~200)mm
Inch:39.3"x19.6"x(5.7"~7.9")

**LS-9546**


Size:950x460x210mm
Inch:37.4"x18.1"x8.3"

**LS-10050C**


Size:1000x500x(145~200)mm
Inch:39.3"x19.6"x(5.7"~7.9")

**LS-9643**

Size:960x430x(145~200)mm
Inch:37.7"x16.9"x(5.7"~7.9")

**LS-10050D**


Size:1000x500x(145~200)mm
Inch:39.3"x19.6"x(5.7"~7.9")

**LS-10044**


Size:1000x435x(145~200)mm
Inch:39.3"x17.1"x(5.7"~7.9")

**LS-10050E**


Size:1000x500x(145~200)mm
Inch:39.3"x19.6"x(5.7"~7.9")

**LS-10046**


Size:1000x460x(145~200)mm
Inch:39.3"x18.1"x(5.7"~7.9")

**LS-10050F**


Size:1000x500x(145~200)mm
Inch:39.3"x19.6"x(5.7"~7.9")

**LS-10050A**

Size:1000x500x(145~200)mm
Inch:39.3"x19.6"x(5.7"~7.9")

**LS-10060**


Size:1000x600x(160~200)mm
Inch:39.3"x23.6"x(6.3"~7.9")






LS-10646

Size: 1060x460x145mm
Inch: 41.7"x18.1"x5.7"




LS-15050S

Size: 1500x500x(160~200)mm
Inch: 59"x19.6"x(6.3"~7.9")




LS-10952

Size: 1090x517x153mm
Inch: 42.9"x20.3"x6"




LS-10849

Size: 1080x490x210mm
Inch: 42.5"x19.3"x8.3"




LS-12050SA

Size: 1200x500x(160~200)mm
Inch: 47.2"x19.6"x(6.3"~7.9")




LS-12044

Size: 1200x440x200mm
Inch: 47.2"x17.3"x7.9"




LS-10050SA

Size: 1000x500x(160~200)mm
Inch: 39.3"x19.6"x(6.3"~7.9")




LS-12046B

Size: 1200x460x(160~200)mm
Inch: 47.2"x18.1"x(6.3"~7.9")




LS-12050SB

Size: 1200x500x(160~200)mm
Inch: 47.2"x19.6"x(6.3"~7.9")




LS-12050A

Size: 1200x500x(150~200)mm
Inch: 47.2"x19.6"x(5.9"~7.9")




LS-12050SC

Size: 1200x500x(160~200)mm
Inch: 47.2"x19.6"x(6.3"~7.9")



LS-12050B


Size: 1200x500x(150~200)mm
Inch: 47.2"x19.6"x(5.9"~7.9")






LS-12050C

Size:1200x500x(150~200)mm
Inch:47.2"x19.6"x(5.9"~7.9")




LS-12050I

Size:1200x500x200mm
Inch:47.2"x19.7"x7.9"




LS-12050D

Size:1200x500x(160~180)mm
Inch:47.2"x19.6"x(6.3"~7.1")




LS-12060A

Size:1200x600x200mm
Inch:47.2"x23.6"x7.9"




LS-12050E

Size:1200x500x(160~200)mm
Inch:47.2"x19.6"x(6.3"~7.9")




LS-12060B

Size:1200x600x(160~200)mm
Inch:47.2"x23.6"x(6.3"~7.9")




LS-12050F

Size:1200x500x200mm
Inch:47.2"x19.6"x7.9"




LS-15050D

Size:1500x500x(160~180)mm
Inch:59"x19.6"x(6.3"~7.1")



LS-12050G

Size:1200x500x200mm
Inch:47.2"x19.6"x7.9"




LS-18050

Size:1800x500x(160~180)mm
Inch:70.6"x19.6"x(6.3"~7.1")




LS-12050H

Size:1200x500x200mm
Inch:47.2"x19.7"x7.9"



LS-10862

Size:1080x620x(160~180)mm
Inch:42.5"x24.4"x(6.3"~7.1")




台下盆


Undercounter basin series

**LS-10050G2**


Size:1000*500*(160~200)mm
Inch:39.4"x19.7"x(6.3~7.9")

**LS-3431R**


Size:340x310x200mm
Inch:13.3"x12.2"x7.9"

**LS-10050G3**


Size:1000x500x(160~200)mm
Inch:39.3"x19.6"x(6.3~7.9")

**LS-3731**

Size:370x310x135mm
Inch:14.5"x12.2"x5.3"

**LS-13646**

Size:1360x460x(160~180)mm
Inch:53.5"x18.1"x(6.3~7.1")

**LS-3936R**

Size:390x360x200mm
Inch:15.3"x14.1"x7.9"

**LS-4236Y**

Size:420x360x200mm
Inch:16.5"x14.1"x7.9"




台下盆


Undercounter basin series

**LS-2824**


Size:285x240x(140~160)mm
Inch:11"x9.4"x(5.5~6.3")

**LS-4439R**


Size:440x390x200mm
Inch:17.3"x15.3"x7.9"

**LS-3325**

Size:329x249x150mm
Inch:12.9"x9.8"x5.9"

**LS-4439Y**


Size:440x390x200mm
Inch:17.3"x15.3"x7.9"






LS-4541Y

Size:450x410x200mm
Inch:17.7"x16.1"x7.9"




LS-4838Y

Size:480x380x200mm
Inch:18.9"x15"x7.9"




LS-5746

Size:570x460x200mm
Inch:22.4"x18.1"x7.9"




LS-5748A

Size:570x480x200mm
Inch:22.4"x18.9"x7.9"




LS-5748B

Size:570x480x200mm
Inch:22.4"x18.9"x7.9"




LS-7743

Size:775x435x200mm
Inch:30.5"x17.1"x7.9"




LS-8046A

Size:800x460x200mm
Inch:31.5"x18.1"x7.9"




LS-8153L

Size:810x530x200mm
Inch:31.9"x20.9"x7.9"




LS-8153R

Size:810x530x170mm
Inch:31.9"x20.9"x6.6"



LS-8247

Size:820x470x200mm
Inch:32.2"x18.5"x7.9"




手工盆系列

Handmade style customize size




LS-4540SHA-B

Size:450x400x200mm
Inch:17.7"x15.8"x7.9"



LS-5040SHA-G


Size:500x400x(200~230)mm
Inch:19.6"x15.7"x(7.9"-9")






LS-5543SHA-S

Size:550x430x(200~230)mm
Inch:21.6"x16.9"x(7.9"~9")




LS-5040SHB-S

Size:500x400x200mm
Inch:19.7"x15.8"x7.9"




LS-6045SHA-S

Size:600x450x(200~230)mm
Inch:23.6"x17.7"x(7.9"~9")




LS-5044SHB-B

Size:500x440x200mm
Inch:19.7"x17.3"x7.9"




LS-6045HAB-B

Size:600x450x(200~230)mm
Inch:23.6"x17.7"x(7.9"~9")




LS-5044SHB-R

Size:500x440x200mm
Inch:19.7"x17.3"x7.9"




LS-6545SHA-S

Size:650x450x(200~230)mm
Inch:25.5"x17.7"x(7.9"~9")




LS-5044SHB-S

Size:500x440x200mm
Inch:19.7"x17.3"x7.9"




LS-6845HAB-B

Size:680x450x(200~230)mm
Inch:26.7"x17.7"x(7.9"~9")




LS-6045SHA-S

Size:600x450x254mm
Inch:24"x18"x10"




LS-6845SHA-S

Size:680x450x(200~230)mm
Inch:26.7"x17.7"x(7.9"~9")



LS-8050SHB-R


Size:800x500x200mm
Inch:31.5"x19.7"x7.9"






LS-5543SHB-B

Size:550x430x(200~230)mm
Inch:21.6"x16.9"x(7.9"~9")



LS-6045SHAE-S


Size:600x450x200mm
Inch:23.6"x17.7"x7.9"



HOT


LS-6045SHB-S

Size:600x450x(200~230)mm
Inch:23.6"x17.7"x(7.9"~9")




LS-6845SHBE-S

Size:680x450x(200~230)mm
Inch:26.8"x17.7"x(7.9"~9.1")




LS-6045SHB-G

Size:600x450x(200~230)mm
Inch:23.6"x17.7"x(7.9"~9")




LS-6845SHBE-B

Size:680x450x(200~230)mm
Inch:26.8"x17.7"x(7.9"~9.1")




LS-6545SHB-S

Size:650x450x(200~230)mm
Inch:25.5"x17.7"x(7.9"~9")




LS-7552

Size:750x520x230mm
Inch:29.5"x20.5"x9.1"




LS-6845SHB-S

Size:680x450x(200~230)mm
Inch:26.7"x17.7"x(7.9"~9")




LS-8049SHBE-S

Size:800x490x(200~230)mm
Inch:23.6"x16.5"x7.9"




LS-6045SHBE-B

Size:600x450x200mm
Inch:23.6"x17.7"x7.9"




LS-8049SHBE-B

Size:800x490x(200~230)mm
Inch:23.6"x16.5"x7.9"




LS-6045SHAE-B

Size:600x450x200mm
Inch:23.6"x17.7"x7.9"



LS-8552


Size:850x520x230mm
Inch:33.5"x20.5"x9.1"






LS-7048

Size: 700*480*200mm
Inch: 27.6"x18.9"x7.9"




LS-11078SHB-B

Size: 1103x780x200mm
Inch: 43.4"x30.7"x7.9"




LS-7848DHAE2-S

Size: 780x480x200mm
Inch: 30.7"x18.9"x7.9"




LS-11078SHB-R

Size: 1103x780x200mm
Inch: 43.4"x30.7"x7.9"




LS-8050DHBE1-B

Size: 800x500x200mm
Inch: 31.5"x19.7"x7.9"




LS-7240DHA2-S

Size: 720x400x(200~230)mm
Inch: 28.3"x15.7"x(7.9"~9")




LS-8050DHBE2-B

Size: 800x500x200mm
Inch: 31.5"x19.7"x7.9"




LS-7541DHA2-S

Size: 750x410x(200~230)mm
Inch: 29.5"x16.1"x(7.9"~9")




LS-8050DHBE3-B

Size: 800x500x200mm
Inch: 31.5"x19.7"x7.9"




LS-7843DHA-S

Size: 780x430x(200~230)mm
Inch: 30.7"x16.9"x(7.9"~9")




LS-11078SHB-S

Size: 1103x780x200mm
Inch: 43.4"x30.7"x7.9"



LS-8045DHA2-S

Size: 800x450x(200~230)mm
Inch: 31.5"x17.7"x(7.9"~9")




手工盆系列


Handmade style customize size

**LS-8245DHA2-S**


Size:820x450x(200~230)mm
Inch:32.2"x17.7"x(7.9"~9")

**LS-7843DHBS-B**


Size:780x430x(200~230)mm
Inch:30.7"x16.9"x(7.9"~9.1")

**LS-8245DHA0-B**



Size:820x450x200mm
Inch:32.3"x17.7"x7.9"

**LS-11280DHB-B**


Size:1127x800x230mm
Inch:44.3"x31.5"x9.1"

**LS-7240DHB-S**


Size:720x400x(200~230)mm
Inch:28.3"x15.7"x(7.9"~9")

**LS-8045DHB-R**


Size:800x450x(200~230)mm
Inch:31.5"x17.7"x(7.9"~9")

**LS-7843DHB-S**


Size:780x430x(200~230)mm
Inch:30.7"x16.9"x(7.9"~9")

**LS-8245DHB-S**


Size:820x450x(200~230)mm
Inch:32.2"x17.7"x(7.9"~9")

**LS-7843DHB-B**


Size:780x430x(200~230)mm
Inch:30.7"x16.9"x(7.9"~9")

**LS-8245DHB-G**


Size:820x450x200mm
Inch:32.2"x17.7"x7.9"

**LS-7843DHBS-S**

Size:780x430x(200~230)mm
Inch:30.7"x16.9"x(7.9"~9.1")

**LS-7843DHB2-S**


Size:780x430x(200~230)mm
Inch:30.7"x16.9"x(7.9"~9")






LS-8045DHB2-S

Size:800x450x(200~230)mm
Inch:31.5"x17.7"x(7.9"~9")




LS-7846SHBE-S

Size:780x460x(200~230)mm
Inch:30.7"x18.1"x(7.9"~9.1")




LS-8245DHB0-B

Size:820x450x200mm
Inch:32.3"x17.7"x7.9"




LS-7846SHBE-B

Size:780x460x(200~230)mm
Inch:30.7"x18.1"x(7.9"~9.1")




LS-8245DHB2-B

Size:820x450x(200~230)mm
Inch:32.2"x17.7"x(7.9"~9")




LS-7350SHA-B

Size:730x500x(200~230)mm
Inch:28.7"x19.6"x(7.9"~9")




LS-8245DHB2-S

Size:820x450x(200~230)mm
Inch:32.2"x17.7"x(7.9"~9")




LS-9546SHA-S

Size:950x460x(200~230)mm
Inch:37.4"x18.1"x(7.9"~9")




LS-8851DHB2-S

Size:880x510x(200~230)mm
Inch:34.8"x20"x(7.9"~9")




LS-7350SHB-B

Size:730x500x(200~230)mm
Inch:28.7"x19.6"x(7.9"~9")




LS-7245SHBE-B

Size:720x450x200mm
Inch:28.3"x17.7"x7.9"



LS-9546SHB-S


Size:950x460x(200~230)mm
Inch:37.4"x18.1"x(7.9"~9")






LS-10046DHB-S

Size:1000x460x(200~230)mm
Inch:39.3"x18.1"x(7.9"~9")




LS-10048DHB-G

Size:1000x480x(200~230)mm
Inch:39.3"x18.9"x(7.9"~9")




LS-10048DHA-B

Size:1000x480x(200~230)mm
Inch:39.3"x18.9"x(7.9"~9")




LS-10245DHBE-S

Size:1020x450x(200~230)mm
Inch:40.1"x17.7"x(7.9"~9")




LS-10046DHBE-B

Size:1000x460x(200~230)mm
Inch:39.3"x18.1"x(7.9"~9")




LS-11651DHB-S

Size:1160x510x(200~230)mm
Inch:45.7"x20"x(7.9"~9")




LS-8456SHB-S

Size:840x560x254mm
Inch:33"x22"x10"




LS-12050DHB-S

Size:1200x500x(200~230)mm
Inch:47.2"x19.6"x(7.9"~9")




LS-8456DHB2-S

Size:838x558x254mm
Inch:33"x22"x10"



LS-12050DHB-G

Size:1200x500x(200~230)mm
Inch:47.2"x19.6"x(7.9"~9")




带架子水槽系列 Sink series with shelf



LS-9446DHB-B

Size:940x460x220mm
Inch:37"x18.1"x8.7"



LS-5040J

Size:500x400x160mm
Inch:19.6"x15.7"x6.3"



LS-10050CJ

Size:1000x500x145mm
Inch:39.3"x19.6"x5.7"



LS-10050J

Size: 1000x500x850mm
Inch: 39.4 x19.7 x33.5



LS-10050FJ

Size:1000x500x145mm
Inch:39.3"x19.6"x5.7"



LS-12050J

Size: 1200x500x850mm
Inch: 47.2 x19.7 x33.5



LS-10348J

Size:1030x480x160mm
Inch:40.5"x18.9"x6.3"



LS-12050CJ

Size:1200x500x160mm
Inch:47.2"x19.6"x6.3"



LS-7855

Size:780*550*280mm
Inch:30.7"x21.7"x11"



LS-12050BJ

Size:1200x500x160mm
Inch:47.2"x19.6"x6.3"



LS-9146G

Size:915x460x145mm
Inch:36"x18.1"x5.7"



LS-6060J

Size:600x600x280mm
Inch:23.6"x23.6"x11"



LS-9643

Size:960x430x145mm
Inch:37.8"x16.9"x5.7"




LS-12050AG

Size: 1200x500x145mm
Inch: 47.2"x19.6"x5.7"



LS-6538SHB-B

Size: 650x380x120mm
Inch: 25.6"x15"x4.7"




欧洲系列CE款式 European series CE style




LS-4040SHB-S

Size: 400x400x120mm
Inch: 15.8"x15.8"x4.7"




LS-6538SHB-G

Size: 650x380x120mm
Inch: 25.6"x15"x4.7"




LS-4040SHB-B

Size: 400x400x120mm
Inch: 15.8"x15.8"x4.7"




LS-2444SHA-S

Size: 240x440x200mm
Inch: 9.4"x17.3"x7.9"




LS-4040SHB-G

Size: 400x400x120mm
Inch: 15.8"x15.8"x4.7"




LS-2444SHA-B

Size: 240x440x200mm
Inch: 9.4"x17.3"x7.9"




LS-6538SHB-S

Size: 650x380x120mm
Inch: 25.6"x15"x4.7"



LS-4444SHA-S


Size: 440x440x200mm
Inch: 17.3"x17.3"x7.9"






LS-4444SHA-B

Size: 440x440x200mm
Inch: 17.3"x17.3"x7.9"




LS-8744DHA2-B

Size: 870x440x200mm
Inch: 34.2"x17.3"x7.9"




LS-5944SHA-S

Size: 590x440x200mm
Inch: 23.2"x17.3"x7.9"




LS-8456SHAE-S

Size: 840x560x200mm
Inch: 33.1"x22.1"x7.9"




LS-5944SHA-B

Size: 590x440x200mm
Inch: 23.2"x17.3"x7.9"




LS-8456DHBE-B

Size: 840x560x250mm
Inch: 33.1"x22.1"x9.8"




LS-7444SHA-S

Size: 740x440x200mm
Inch: 29.1"x17.3"x7.9"




LS-8456DHBE-S

Size: 840x560x250mm
Inch: 33.1"x22.1"x9.8"



LS-7444SHA-B

Size: 740x440x200mm
Inch: 29.1"x17.3"x7.9"




飞雨盆系列 Flying Rain basin series




LS-8744DHA2-S

Size: 870x440x200mm
Inch: 34.2"x17.3"x7.9"



LS-6045FA1-S

Size: 600x450x220mm
Inch: 23.6"x17.7"x8.7"




飞雨盆系列


Flying Rain basin series

**LS-6045FA1-B**


Size:600x450x220mm
Inch:23.6"x17.7"x8.7"

**LS-6845FA1-R**


Size:680x450x220mm
Inch:26.8"x17.7"x8.7"

**LS-6045FA1-G**


Size:600x450x220mm
Inch:23.6"x17.7"x8.7"

**LS-7545FA1-S**


Size:750x450x220mm
Inch:29.5"x17.7"x8.7"

**LS-6045FA1-R**


Size:600x450x220mm
Inch:23.6"x17.7"x8.7"

**LS-7545FA1-B**


Size:750x450x220mm
Inch:29.5"x17.7"x8.7"

**LS-6845FA1-S**


Size:680x450x220mm
Inch:26.8"x17.7"x8.7"

**LS-7545FA1-G**


Size:750x450x220mm
Inch:29.5"x17.7"x8.7"

**LS-6845FA1-B**


Size:680x450x220mm
Inch:26.8"x17.7"x8.7"

**LS-7545FA1-R**


Size:750x450x220mm
Inch:29.5"x17.7"x8.7"

**LS-6845FA1-G**

Size:680x450x220mm
Inch:26.8"x17.7"x8.7"

**LS-8045FA1-S**


Size:800x450x220mm
Inch:31.4"x17.7"x8.7"






LS-8045FA1-B

Size:800x450x220mm
Inch:31.4"x17.7"x8.7"




LS-8545FA1-G

Size:850x450x220mm
Inch:33.5"x17.7"x8.7"




LS-8045FA1-G

Size:800x450x220mm
Inch:31.4"x17.7"x8.7"




LS-8545FA1-R

Size:850x450x220mm
Inch:33.5"x17.7"x8.7"




LS-8045FA1-R

Size:800x450x220mm
Inch:31.4"x17.7"x8.7"




LS-6845FA2-B

Size:680x450x220mm
Inch:26.8"x17.7"x8.7"




LS-8545FA1-S

Size:850x450x220mm
Inch:33.5"x17.7"x8.7"




LS-7545FA2-B

Size:750x450x220mm
Inch:29.5"x17.7"x8.7"




LS-8545FA1-B

Size:850x450x220mm
Inch:33.5"x17.7"x8.7"



LS-8045FA2-B

Size:800x450x220mm
Inch:31.5"x17.7"x8.7"




飞雨盆系列


Flying Rain basin series

**LS-7545FB5-B**


Size: 750x450x220mm
Inch: 29.5"x17.7"x8.7"

**LS-7546FB4-S**


Size: 750X460X254mm
Inch: 29.5"x18.1"x10"

**LS-8456FA-S**


Size: 840x560x220mm
Inch: 33"x22"x8.7"

**LS-7545FB7-B**


Size: 750x450x220mm
Inch: 29.5"x17.7"x8.7"

**LS-8456B-S**


Size: 840x560x254mm
Inch: 33.1"x22.1"x10"

**LS-8456FB-B**


Size: 840x560x220mm
Inch: 33"x22"x8.7"

**LS-7545FBH-B**


Size: 750X450X254mm
Inch: 29.5"x17.7"x10"

**LS-8456D-S**


Size: 840X560X254mm
Inch: 33.1"x22.1"x10"










**LS-7545FAC2-B**

Size: 750X450X254mm
Inch: 29.5"x17.7"x10"

**LS-7545FBM-G**

Size: 750X450X254mm
Inch: 29.5"x17.7"x10"






飞雨盆系列

Flying Rain basin series




LS-11845FBD2-S

Size: 1180X450X254mm
Inch: 46.5"x17.7"x10"




LS-10045FAC2-B

Size: 1000x450x225mm
Inch: 39.4"x17.7"x8.7"




LS-10052SHBE-B

Size: 1000x520x230mm
Inch: 39.4"x20.5"x9.1"




LS-10045SHBE-B

Size: 1000x452x225mm
Inch: 39.4"x17.8"x8.7"




LS-3548HBE-B

Size: 350x480x220mm
Inch: 13.8"x18.9"x8.7"




LS-8845HDBE-B

Size: 882x452x220mm
Inch: 34.7"x17.8"x8.7"




LS-5546HAE-B

Size: 550x460x250mm
Inch: 21.7"x18.1"x9.8"




LS-10645HEDB2-B

Size: 1060x452x220mm
Inch: 47.2"x20.5"x9.5"



LS-6045HBEC-B

Size: 600x450x205mm
Inch: 23.6"x17.7"x8.1"




仿手工一体盆系列

Imitation hand-made integrated basin series




LS-6843HA-S

Size: 680x430x215mm
Inch: 26.8"x16.9"x8.5"




LS-7543HA-S

Size: 750x430x215mm
Inch: 29.5"x16.9"x8.5"




LS-6846HB-S

Size: 680x460x215mm
Inch: 26.8"x18.1"x8.5"




LS-7546HB-S

Size: 750x460x215mm
Inch: 29.5"x18.1"x8.5"




LS-6846HC-B

Size: 680x460x215mm
Inch: 26.8"x18.1"x8.5"



LS-7546HC-B

Size: 750x460x215mm
Inch: 29.5"x18.1"x8.5"



配件系列

Accessories series



B40S110MM12Y



B40S110MM12



B40S72MM12Y



B40S72MM12



Q40S110MM13Y



Q40S110MM13



Q40S110MM23Y



Q40S110MM23



H50S110MM42Y



H50S110MM42



B40S110MM52Y



B40S110MM52



H50S110MM42YF



H50S110MM42F



H50S11052Y



H50S110MM52



B40D72MM52Y



B40D72MM52



B40D110MM52Y



B40D110MM52



B40D110MM32Y



B40D110MM32



Q40D110MM43Y



Q40D110MM43



Q40D110MM23Y



Q40D110MM23



H50D110MM42Y



H50D110MM42



H50D110MM42YF



H50D110MM42F



H50D110mm52Y



H50D110mm52



Q40T110MM23Y



Q40T110MM23



B40T110mm32Y



B40T110mm32

- ① Material: B semi-steel, Q full steel, H hand basin
- ② Pipe Diameter: 50, 40
- ③ Style: S single, D double, T triple
- ④ Hole Diameter: 110, 72
- ⑤ Pipe type: 1 straight pipe, 2 S-bend, 3 T-junction, 4 V-bend, 5 anti-odor
- ⑥ Pipe material: 1 rigid pipe, 2 corrugated pipe, 3 wire pipe
- ⑦ Special: L trash bin, Y overflow, F square drain head




Drainage style code rules:

B **40** **S** **110MM** **1** - **2** **Y** **F**

Material Pipe Diameter Style Hole Diameter Pipe Type Pipe Material Overflow Special (Square outlet)

配件系列

Accessories series





LS-3320



CL-1



CL-2



CL-3



CL-4



CL-6




GL



7545-FB



7545-FA



7545-FG



7545-FR



XB-B



XB-A



XB-G



XB-R



XF-B



XF-A



XF-G



XF-R



**LS-6045(6845)(7045)
(7545)-black**



**LS-6045(6845)(7045)
(7545)-satin**



**LS-6045(6845)(7045)
(7545)-gold**



**LS-6045(6845)(7045)
(7545)-rose**



LSX-02



LSX-03

配件系列

Accessories series



LSX-04



LSX-05



LSX-06

Turret
SL-DG01(16*50*200mm)

SL-DG02



LS-304 F



LS-201 R



G1



G2



C3




JF-1

201材质+麦吉杆
不锈钢菜板304材质+麦吉杆
不锈钢菜板


LS-7545



7545FY-B



7545FY-A



7545FY-G



FY-B2



FY-B3



FY-B5



FY-B7



FY-Z



FY-B




FY-C



FY-3-B



FY-3-S



FY-3-G




C175A19-2




C175A19-3




C175A19-4



339A



339



129



124



901



573



2727



130



131




166



8690



8691



8692



8694



8674



8695



8696