

CHANGZHOU ALCO INTERNATIONAL CO.,LTD.

Quotation

Contact Person: Sales Manager Zhuang Tel: 13861053378

Quotation Date: 2026-10-29

Thank you for your inquiry. We are pleased to provide the following proposal in accordance with our sales conditions and delivery terms:

Option 1: 600kg Semi-electric Gantry Suction Cup Trolley

Model: S 600 (Safe Load Capacity: 600 kg)

Functions: Manual-push travel, electric lifting, electric tilting, manual rotation

Quantity: 1 unit

Quoted Price (FOB PRICE): USD7000

Payment Terms: 30% advance payment; balance paid before shipment Lead Time: 15 working days



Technical Parameters

- Safe load capacity: 600 kg
- Suction cup size: $\Phi 300$, silicone material, silicone-wrapped aluminum structure, 3-layer sealing rings
- Number of suction cups: 6 pcs
- Lifting height: 1.6 m
- Turning radius: 1370 mm
- Travel mode: manual push
- Battery: 12V / 100Ah
- Lifting motor: 2200W
- Lifting speed: 80 mm / 130 s
- Lowering speed: 110 mm / 90 s
- Brake type: foot brake
- Front wheel size: $\varphi 80 \times 60$
- Rear wheel size: $\varphi 180 \times 50$
- Rotation: 360° manual rotation
- Tilting: 90° electric tilting
- Adjustable suction-cup positions
- Independent control valve for each suction cup, suitable for glass handling of various dimensions

Option 2: 600kg Gantry Suction Cup Trolley

Model: F 600 (Safe Load Capacity: 600 kg) Functions: electric travel, electric lifting, electric tilting Quantity: 1 unit

Quoted Price (FOB PRICE): USD8500

Payment Terms: 30% advance payment; balance paid before shipment Lead Time: 15 working days



Technical Parameters

- Safe load capacity: 600 kg
- Suction cup size: $\Phi 300$, silicone material, silicone-wrapped aluminum structure, 3-layer sealing rings
- Number of suction cups: 6 pcs
- Lifting height: 1.6 m
- Suction-cup frame dimension: 1600*900 mm
- Battery: 2×12V / 120Ah
- Travel motor: 1500W
- Lifting motor: 2200W
- Travel speed (loaded): 4 km/h
- Travel speed (no-load): 6 km/h
- Lifting speed: 80 mm / 130 s
- Lowering speed: 110 mm / 90 s
- Brake type: electromagnetic brake
- Drive type: horizontal drive
- Drive wheel: $\varphi 250 \times 80$
- Front wheel size: $\varphi 80 \times 70$
- Tilting: 90° electric tilting
- Adjustable suction-cup positions
- Independent control valve for each suction cup, suitable for glass handling of various dimensions

Option 3: 800kg Gantry Suction Cup Trolley

Model: F 800 (Safe Load Capacity: 800 kg) Functions: electric travel, electric lifting, electric tilting Quantity: 1 unit

Quoted Price (FOB PRICE): USD9000

Payment Terms: 30% advance payment; balance paid before shipment Lead Time: 15 working days



Technical Parameters

- Safe load capacity: 800 kg
- Suction cup size: $\Phi 300$, silicone material, silicone-wrapped aluminum structure, 3-layer sealing rings
- Number of suction cups: 8 pcs
- Lifting height: 1.6 m
- Suction-cup frame dimension: 1600*900 mm
- Battery: 2×12V / 120Ah
- Travel motor: 1500W
- Lifting motor: 2200W
- Travel speed (loaded): 4 km/h

- Travel speed (no-load): 6 km/h
- Lifting speed: 80 mm / 130 s
- Lowering speed: 110 mm / 90 s
- Brake type: electromagnetic brake
- Drive type: horizontal drive
- Drive wheel: $\varnothing 250 \times 80$
- Front wheel size: $\varnothing 80 \times 2$
- Tilting: 90° electric tilting
- Adjustable suction-cup positions
- Independent control valve for each suction cup, suitable for glass handling of various dimensions





- CHANGZHOU ALCO INTERNATIONAL CO.,LTD.
- NO.5-2 TAIHUXI ROAD, CHANGZHOU JIANGSU, CHINA
 - WEB site:www.alcochina.com,
- TEL:0086-519-85602101, FAX:0086-519-85602102